

产品选型手册
PRODUCTS MANUAL

COMPANY PROFILE

上海汉钟精机股份有

PS系列干式螺 牙

PS SERIES DRY SCREW VACUUM PUMP

主要特点：

MAIN FEATURES:


Series	机种	-		外罩				
	Model	-	Type					
(PS)	(XXX)							
PS	80							
	160							
	180							
	302							
	602							
	903							
	1302							
	1802							
	2002							
	2202							
PD	120							
	300							
	400							
	650							
	800							



机型 Model	PS

外形尺寸: PHYSICAL DIMENSION:


N型/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	K	L
PS80-N	375	320	550	185	740	923			
PS160-N	405	320	565	215	857	1006	382		
PS180-N	425	350	580	225	880	1030	560		

A/N型 /A/N Type



单位/mm

单位/U

机型 Model	A	B	C	D	E	G	H	K	L
PS80-A	380	663	552	190	740	814	576	668	105



高上

PD性能曲线：

外形尺寸：

PR系列

机型 Model		单位Unit	PR600					

化工专用真空泵浦

Dry Screw Vacuum pump

外形尺寸：physical dimension

性能参数

机型	防爆对应型号	抽气速率l/min	极限压力(Pa)
PS80	Ex80	1600	1
PD120	Ex120	2000	
PD160	Ex160	2600	
PD180	Ex180	3000	
PD300	Ex300	5500	
PD400	Ex400	6666	
PD650	Ex650	10840	
PD800	Ex800	13333	

机型	防爆		

汉

产